

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/009,319	11/13/2001	Fritz Kirchhofer	14185	6937
25763	7590 09/28/2005		EXAM	INER
DORSEY & WHITNEY LLP			HAYES, MICHAEL J	
INTELLECTUAL PROPERTY DEPARTMENT 50 SOUTH SIXTH STREET MINNEAPOLIS, MN 55402-1498			ART UNIT	PAPER NUMBER
			3763	

DATE MAILED: 09/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

L			
Applicant(s)			
KIRCHHOFER ET AL.			
Art Unit			
3763			

Office Action Summary

	Examiner	Art Unit			
	Michael J. Hayes	3763			
ion appears on the cover sheet with the correspondence address					

-- The MAILING DATE of this communicati

Application No.

10/009,319

Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on <u>05 July 2005</u> .					
2a) ☐ This action is FINAL . 2b) ☑ This action is non-final.					
3) Since this application is in condition for allowance except for formal matter	·				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims					
4) Claim(s) 2-14 is/are pending in the application.					
4a) Of the above claim(s) <u>2-9</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	· · · · · · · · · · · · · · · · · · ·				
6)⊠ Claim(s) <u>10-14</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.	•				
Application Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☒ The drawing(s) filed on 13 November 2001 is/are: a) ☒ accepted or b) ☐ contain the properties of the drawing(s) be held in abeyance Replacement drawing sheet(s) including the correction is required if the drawing(s) and the properties of the drawing(s) are the properties of the drawing(s).	e. See 37 CFR 1.85(a).) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/ Notice of Info	mmary (PTO-413) Mail Date omal Patent Application (PTO-152)				
* See the attached detailed Office action for a list of the certified copies not re *Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) *Attachment(s) 4) Paper No(s)/	mmary (PTO-413) Mail Date ormal Patent Application (PTO-152)				

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/05/05 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 10, 11, 13, and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by HATTLER (US Patent No. 4,846,791). Hattler discloses a cannula/needle combination including the cannula 10 surrounding the solid sharpened needle 30 in a snug fit with clearances formed between the cannula and needle substantially along the needle (figs. 1, 2, 3) to communicate fluid in the clearances.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 10/009,319

Art Unit: 3763

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over HATTLER. Hattler discloses the claimed invention except for the cannula and catheter as separate elements. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the single catheter/cannula as disclosed in Hattler to a plurality of elements because making a plurality of elements from a single element is an obvious design choice and Applicant has not stated that using two elements solves a stated problem or is for a particular purpose and it appears that the use of a single element accomplishes the same function, in the same way, with the same result. Applicant has not established criticality in using two elements in place of one.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. JESSUP (US Patent No. 4,402,684) shows a cannula/needle combination with clearances for fluid flow.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Hayes at (571) 272-4959. The examiner can usually be reached Monday -Thursday, 7:00-4:30, and on alternate Fridays. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Lucchesi, can be contacted at (571) 272-4977. The fax number for submitting official papers is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 3763

published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

mjh

24 September 2005

MICHAEL J. HAYES PRIMARY EXAMINER

M//fayer